



PROFESSIONAL QUALITY HAND TOOLS

WORLD'S
MOST COMPLETE LINE OF






POCKET SIZE FOLD-UP
HEX KEY SETS IN:

INCH SIZES

NEW METRIC SIZES

T-HANDLE HEX KEYS

POCKET SIZE FOLD-UP
SCREW DRIVER SETS



DISTRIBUTED BY
Lampton WELDING SUPPLY CO.
WELDING DIVISION (316) 267-2208 INDUSTRIAL DIVISION (316) 263-3293
601 NORTH WASHINGTON
WICHITA, KANSAS 67201

AMERICAN MADE TO HIGHEST
STANDARD OF QUALITY



ESTABLISHED 1923

EKLIND TOOL & MFG. CO.

2627 N. Western Avenue, Chicago, Illinois 60647



FOLD-UP POCKET SIZE


- Wrenches are of top quality 8650 chrome nickel alloy steel
- Close tolerance drawn steel with sharp hex corners to insure precise fit into hex socket
- Scientifically hardened and tempered for maximum durability
- Ends of wrenches square cut and bevelled—slips easily and securely into screws

**GOODBYE
TO LOST
HEX KEYS . . .**




Folds up like a knife

No. 81
SMALL
8 KEYS




No. 91S
SMALL
9 KEYS



No. 71
SMALL
7 KEYS



No. 91
MEDIUM
9 KEYS



No. 61
LARGE EXTRA LONG
6 KEYS



No. 51
LARGE EXTRA LONG
5 KEYS



INCH SIZES

MODEL NO.	HEX SIZES—INCHES	KEY LGTHS.	HDL. LGTH.	STD. PK. PCS.	STD. PK. WT. LBS.	PACKAGING
81	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32	1-7/16-2-3/8	3"	12	3	Indiv. Card
91-S	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16	1-7/16-2-9/16	3-5/8"	12	4	Indiv. Card
* 71	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32	1-9/16-2-3/4	3-5/8"	12	4	Tray Style Displ. Box
91	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4	1-11/16-3-1/2	4-1/4"	12	7	Indiv. Card
61	1/8, 5/32, 3/16, 7/32, 1/4, 5/16	2-3/4-4-3/8	5-1/4"	6	4.5	Indiv. Card
51	3/16, 7/32, 1/4, 5/16, 3/8	3-1/8-4-5/8	5-1/4"	6	5.5	Indiv. Card

* MODEL 71 DISCONTINUED. DOES NOT CONTAIN 7/64 & 9/64 KEYS FOR #6 & #8 CAP SCREWS

REPLACEMENT KEY TABLE—FOLD UNI KEY

(Show Range and Interchangeability) Order by Part No.

KEY FIT TABLE


HEX WIDTH ACROSS FLATS	MODEL 81	MODEL 91-S	MODEL 91	MODEL 71	MODEL 61	MODEL 51	HEX WIDTH ACROSS FLATS	KEY FIT TABLE						
	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.		SOCKET SET SCREWS	NEW 1960 SERIES HEAD SOCKET CAP SCREWS	OLD 1936 SERIES SOCKET HEAD CAP SCREWS	SHOULDER SCREWS (STRIPPER BOLTS)	FLAT HEAD SOCKET CAP SCREWS	SOCKET PIPE PLUGS	BUTTON HEAD SOCKET CAP SCREWS
.050	403	403					.050	3 & 4	0	0 & 1				
1/16	404	404		404			1/16	5 & 6	1	2		4		4
5/64	405	405	405	405			5/64	8	2 & 3	3 & 4		5 & 6		6
3/32	406	406	406	406			3/32	10	4 & 5	5 & 6		8		8
7/64	407	407	407				7/64		6					
1/8	408	408	408	408	408L		1/8	1/4		8	1/4	10		10
9/64	409	409	409				9/64		8					
5/32	410	410	410	410	410L		5/32	5/16	10	10	5/16	1/4	1/16	1/4
3/16		412	412L	412	412L	412L	3/16	3/8	1/4	1/4		5/16	1/8	5/16
7/32			414L	414	414L	414L	7/32	7/16		5/16	3/8	3/8		3/8
1/4			416L		516L	416L	1/4	1/2	5/16		1/2	7/16	1/4	
5/16					520L	520L	5/16	5/8	3/8	3/8 & 7/16	5/8	1/2	3/8	1/2
3/8					524L	524L	3/8	3/4	7/16 & 1/2	1/2	3/4	5/8 & 3/4	1/2	5/8



HEX KEY TOOLS



Snaps into work position
Use at any angle.



Fits all types of
hex socket screws

NEW METRIC SIZES

Now you can STOP the "metric-mix-up"! Save your tools—spare your screws with the proper metric hex keys for your foreign equipment.



No. M17
SMALL
7 KEYS



No. M15
LARGE EXTRA LONG
5 KEYS

HANDLE
AND KEYS
MARKED WITH
METRIC SIZES

METRIC SIZES

MODEL NO.	HEX SIZES MILLIMETER	KEY LGTHS.	HDL. LGTH.	STD. PK. PCS.	STD. PK. WT. LBS.	PKG.
M17	1.5, 2, 2.5, 3, 4, 5, 6	1 7/8-2 3/8	3 3/8	6	2	VINYL POUCH
M15	4, 5, 6, 8, 10	3 3/8-4 3/8	5 1/4	6	6	VINYL POUCH
M1715	COMBINATION PACKAGE 1 eq. Models M17 & M15 in single vinyl pouch			1	1.2	VINYL POUCH

REPLACEMENT KEYS				KEY FIT TABLE		
HEX WIDTH ACROSS FLATS IN MM	INCHES	M17	M15	SOCKET SET SCREWS IN MM	SOCKET HEAD CAP SCREWS IN MM	FLAT HEAD SOCKET CAP SCREWS IN MM
		PART NO.	PART NO.			
1.5	.05905	1.5MM		3	1.7 & 2	—
2	.07874	2MM		4	2.3 & 2.6	3
2.5	.09842	2.5MM		5	3	4
3	.11811	3MM		6	4	5
4	.15748	4MM	4MM L	8	5	6
5	.19685	5MM	5MM L	10	6	8
6	.23622	6MM	6MM L	12	8	10
8	.31496		8MM L	16	10	12
10	.39370		10MM L	20	12	14

METRIC SIZE HEX KEY SETS
PACKAGED IN VINYL CARRYING POUCH



M1715



M15




M17


Eklind

TRADE MARK

"T" HANDLE HEX KEYS



Handy metal
workbench
stand with
easy-to-read
key fit chart



HEX WIDTH SIZE
STAMPED ON HANDLE
FOR EASY
IDENTIFICATION

3 HANDY LENGTHS
10 SIZES EACH

EASY TO GRASP HANDLE

Special "loop handle" design makes hex key easier, more efficient to use—provides maximum torque for greater wrench leverage even in tight areas. Saves time and labor too.

HANG-UP CONVENIENCE

Hang it nearby—where you can always find it. No time spent searching for "lost hex keys."



OUTSTANDING QUALITY

High quality chrome nickel alloy steel. Precision drawn for closest tolerance to insure accurate fit into screw head. Hardened and tempered by special martempering process—an Eklind exclusive!

COMPLETE 10 PIECE SETS 3/32 in. thru 3/8 in.

PART No.	DESCRIPTION	WT. EA.	PART No.	DESCRIPTION	WT. EA.
1300-369*	10 pcs. 3" arm length	2.4	1300	10 pcs. 3" arm length. Tools only — no stand	1.7
1600-369*	10 pcs. 6" arm length	2.9	1600	10 pcs. 6" arm length. Tools only — no stand	2.1
1900-369*	10 pcs. 9" arm length	3.3	1900	10 pcs. 9" arm length. Tools only — no stand	2.5
* Tool set and stand packed separately			369	Stand only fits 1300, 1600 or 1900 sets	.8

"T" HANDLE HEX KEY • ORDER BY PART NUMBER

Note: Longer length, smaller sizes recommended for light torque only.

HEX WIDTH ACROSS FLATS	3 IN. ARM LGTH			6 IN. ARM LGTH			9 IN. ARM LGTH			HANDLE WIDTH ALL MODELS	HEX WIDTH ACROSS FLATS
	PART NO.	STD. PACK PCS.	STD. PACK (LBS.)	PART NO.	STD. PACK PCS.	STD. PACK (LBS.)	PART NO.	STD. PACK PCS.	STD. PACK (LBS.)		
3/32	1306	12	.3	1606	12	.4	1906	12	.5	3"	3/32
7/64	1307	12	.4	1607	12	.5	1907	12	.6	3"	7/64
1/8	1308	12	.5	1608	12	.6	1908	12	.7	3"	1/8
9/64	1309	12	.6	1609	12	.8	1909	12	1.0	3"	9/64
5/32	1310	12	.8	1610	12	1.0	1910	12	1.2	3"	5/32
3/16	1312	12	1.3	1612	12	1.6	1912	12	1.9	4"	3/16
7/32	1314	6	.9	1614	6	1.2	1914	6	1.5	4"	7/32
1/4	1316	6	1.2	1616	6	1.5	1916	6	1.8	4"	1/4
5/16	1320	6	2.3	1620	6	2.8	1920	6	3.3	6"	5/16
3/8	1324	6	3.3	1624	6	4.0	1924	6	4.7	6"	3/8

T-HANDLE HEX KEYS ARE NOT AVAILABLE IN METRIC

SEE FOLD-UP SCREWDRIVER BACK PAGE

WHAT YOU SHOULD KNOW ABOUT

Eklind HEX KEY QUALITY

- Eklind keys are produced from 8650 Chrome Nickel alloy steel—drawn to a tolerance of plus .000—minus .001. All corners of the hex stock are sharp and clean.
- Eklind keys are distortion free, because of the use of an individual “cut off” die for each size with larger sizes being deburred on the ends.
- The loops in Eklind fold-up keys are folded over the corners of the hex stock so that in assembly each key lays flat against the next key. Thus forming a more compact and balanced tool.
- Eklind keys are formed with a flat on the far edge of the “loop”, which locks the key in a right angle position against the flat spring on the bottom of the case. This spring also holds the key in any position or angle the user may desire.
- The Eklind handle is formed from a single piece of high grade steel—sharp corners and edges are eliminated for maximum gripping comfort.
- Eklind tools are clearly marked with sizes on the case or handle, for easy identification of wrench.
- Eklind hex keys are precision heat treated, thus assuring maximum toughness of the core of the wrench along with maximum surface resistance to wear.

Eklind
TRADE MARK

DISPLAY MERCHANDISER



MFS 22 FOLD UP TOOL CENTER
CONTAINS: 6 #81, 6 #91, 2 #51, 2#M17, 6 #45
WEIGHT 12 lbs.



5-IN-1 FOLD-UP SCREWDRIVER SET

FOLD UNIDRIVE No. 45

- ALL IN ONE UNIT
- FOLDS TO POCKET SIZE
- HARDENED & TEMPERED
- HIGH QUALITY TOOL STEEL

ON DISPLAY CARD

Std. Pack — 12 pcs. — Wt. 4 lbs.


SET INCLUDES

Part No.


- | | |
|----|------------------|
| D1 | #1 PHILLIPS TYPE |
| D2 | 1/4" FLAT BLADE |
| D3 | 3/16" FLAT BLADE |
| D4 | 1/8" FLAT BLADE |
| D5 | 3/16" POINT AWL |



USE STRAIGHT OUT



OR AT
RIGHT ANGLES




FOR EXTRA
LEVERAGE

MAIN OFFICE AND FACTORY **EKLIND TOOL & MFG. CO.**

2627 North Western Avenue Chicago, Illinois 60647

All Phones: (312) 276-1140

ESTABLISHED 1923



Warehouses

SOUTHWESTERN
Liberty Industrial Sales Co.
2010 East 7th St.
Los Angeles, Calif. 90021
Phone: (213) 627-4037

NORTHERN CALIFORNIA
Sandvik & Vogel
2820 Oakdale Ave.
San Francisco, Calif. 94124
Phone: (415) 285-2606

NORTHWESTERN
Tucker Sales Inc.
1518 Southeast Union Ave.
Portland, Oregon 97214
Phone: (503) 236-4118

CANADA
Adtool Co.
10 Ronald Drive
Montreal West, Quebec, Canada
Phone: (514) 482-2548
Telex #01-20964

PRINTED IN U.S.A.